ELSEVIER

Brain Research 647 (1994) 357–359

BRAIN RESEARCH

Author Index

Aguayo, L.G., Pancetti, F.C., Klein, R.L. and Harris, R.A.
Differential effects of GABAergic ligands in mouse and rat hippocampal neurons (647) 97
Andersen, K.E., see Suzdak, P.D. (647) 231
Ardelt, A.A., Flaris, N.A. and Roth, K.A.
Neurotrophin-4 selectively promotes survival of striatal neurons in organotypic slice culture (647) 340

Balaban, C.D., see Chew, B.H. (647) 345
Banas, C., see Steinman, J.L. (647) 204
Barnstable, C.J., see Castillo, Jr., B. (647) 30
Barth, D.S., see Brett, B. (647) 65
Beal, M.F., see Henshaw, R. (647) 161
Biggio, G., see Imperato, A. (647) 167
Bishop, M., see Schwartz, R.D. (647) 153
Bishop, V.S., see Cai, Y. (647) 242
Black, I.B., see O'Malley, E.K. (647) 83
Bohn, M.C., see Castillo, Jr., B. (647) 30
Boysen, G., see Meden, P. (647) 131
Breakefield, X.O., see Castillo, Jr., B. (647) 30
Brett, B., Di, S., Watkins, L. and Barth, D.S.
A horseradish peroxidase study of parallel thalamocortical projections responsible for the generation of mid-latency auditory-evoked potentials (647) 65
Brundin, P., see Frodl, E.M. (647) 286

Cai, Y., Hay, M. and Bishop, V.S.
Stimulation of area postrema by vasopressin and angiotensin II modulates neuronal activity in the nucleus tractus solitarius (647) 242
Carter, M.L., see Schwartz, R.D. (647) 153
Castillo, Jr., B., del Cerro, M., Breakefield, X.O., Frim, D.M., Barnstable, C.J., Dean, D.O. and Bohn, M.C.
Retinal ganglion cell survival is promoted by genetically modified astrocytes designed to secrete brain-derived neurotrophic factor (BDNF) (647) 30
Catania, M.V., see Wüllner, U. (647) 209
Cestari, D.M., see Van Bockstaele, E.J. (647) 307
Chan, P., Di Monte, D.A. and Langston, W.J.
Effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) on levels of glutamate and aspartate in the mouse brain (647) 249
Chan, P.H., see Espanol, M.T. (647) 172
Chang, L.-H., see Espanol, M.T. (647) 172
Chew, B.H., Weaver, D.F., Balaban, C.D. and Gross, P.M.
NMDA-mediated metabolic activation of the cerebellar cortex in behaving rats by the neuropeptide endothelin-1 (647) 345
Cioe, J., see Kolb, B. (647) 15
Clemens, L.G., see Wagner, C.K. (647) 37
Coote, J.H., see Sermasi, E. (647) 323
Cox, C., see DiLoreto Jr., D. (647) 181

Dazzi, L., see Imperato, A. (647) 167
Dean, D.O., see Castillo, Jr., B. (647) 30
Deguchi, T., see Ichikawa, H. (647) 124
del Cerro, C., see DiLoreto Jr., D. (647) 181
del Cerro, M., see Castillo, Jr., B. (647) 30
del Cerro, M., see DiLoreto Jr., D. (647) 181
Di, S., see Brett, B. (647) 65
DiLoreto Jr., D., Cox, C., Grover, D.A., Lazar, E., del Cerro, C. and del Cerro, M.
The influences of age, retinal topography, and gender on retinal degeneration in the Fischer 344 rat (647) 181
Di Monte, D.A., see Chan, P. (647) 249
DiScenna, P.G., Ferchmin, P.A., Eterovic, V.A. and Teyler, T.J.
Spermine depresses NMDA, K/AMPA and $GABA_A$-mediated synaptic transmission in the rat hippocampal slice preparation (647) 353
Doron, D.A., see McCarron, R.M. (647) 265
Dreyfus, C.F., see O'Malley, E.K. (647) 83
Duan, W.-M., see Frodl, E.M. (647) 286

Espanol, M.T., Litt, L., Xu, Y., Chang, L.-H., James, T.L., Weinstein, P.R. and Chan, P.H.
^{19}F NMR calcium changes, edema and histology in neonatal rat brain slices during glutamate toxicity (647) 172
Eterovic, V.A., see DiScenna, P.G. (647) 353

Ferchmin, P.A., see DiScenna, P.G. (647) 353
Ferrante, R.J., see Henshaw, R. (647) 161
Feuerstein, G., see McCarron, R.M. (647) 265
Filipčik, P., Saito, H. and Katsuki, H.
3,5,3′-L-Triiodothyronine promotes survival and axon elongation of embryonic rat septal neurons (647) 148
Flaris, N.A., see Ardelt, A.A. (647) 340
Foged, C., see Suzdak, P.D. (647) 231
Frim, D.M., see Castillo, Jr., B. (647) 30
Frodl, E.M., Duan, W.-M., Sauer, H., Kupsch, A. and Brundin, P.
Human embryonic dopamine neurons xenografted to the rat: effects of cryopreservation and varying regional source of donor cells on transplant survival, morphology and function (647) 286

Gebhart, G.F., see Traub, R.J. (647) 113
Gessa, G.L., see Imperato, A. (647) 167
Goadsby, P.J. and Hoskin, K.L.
Cerebral blood flow is not coupled to neuronal activity during stimulation of the facial nerve vasodilator system (647) 192
Gonatas, N.K., see Lavi, E. (647) 273
Gonzalvez, M.L., Milanés, M.V., Martinez-Piñero, M.G., Marín, M.T. and Vargas, M.L.
Effects of intracerebroventricular clonidine on the hypothalamic noradrenaline and plasma corticosterone levels of opiate naive rats and after naloxone-induced withdrawal (647) 199
Goto, S., Yamada, K., Inoue, N., Nagahiro, S. and Ushio, Y.
Increased expression of growth-associated protein GAP-43/B-50 following cerebral hemitransection or striatal ischemic injury in the substantia nigra of adult rats (647) 333
Gross, P.M., see Chew, B.H. (647) 345
Grover, D.A., see DiLoreto Jr., D. (647) 181
Guimarães, A.P.C. and Prado, W.A.
Antinociceptive effects of carbachol microinjected into different portions of the mesencephalic periaqueductal gray matter of the rat (647) 220
Gwag, B.J., Sessler, F., Kimmerer, K. and Springer, J.E.
Neurotrophic factor mRNA expression in dentate gyrus is increased following angular bundle transection (647) 23

Hallenbeck, J.M., see McCarron, R.M. (647) 265
Harris, R.A., see Aguayo, L.G. (647) 97
Hasegawa, T., see Maurice, T. (647) 44
Hasegawa, T., see Maurice, T. (647) 57
Hay, M., see Cai, Y. (647) 242
Heldman, E., see McCarron, R.M. (647) 265

Henshaw, R., Jenkins, B.G., Schulz, J.B., Ferrante, R.J., Kowall, N.W., Rosen, B.R. and Beal, M.F.
Malonate produces striatal lesions by indirect NMDA receptor activation (647) 161
Hiramatsu, M., see Maurice, T. (647) 44
Hiramatsu, M., see Maurice, T. (647) 57
Hoffman, S.W., see Steinman, J.L. (647) 204
Honda, T. and Semba, K.
Serotonergic synaptic input to cholinergic neurons in the rat mesopontine tegmentum (647) 299
Hoskin, K.L., see Goadsby, P.J. (647) 192
Huff, R.A., see Schwartz, R.D. (647) 153

Ichikawa, H., Deguchi, T., Mitani, S., Nakago, T., Jacobowitz, D.M., Yamaai, T. and Sugimoto, T.
Neural parvalbumin and calretinin in the tooth pulp (647) 124
Imperato, A., Dazzi, L., Obinu, M.C., Gessa, G.L. and Biggio, G.
The benzodiazepine receptor antagonist flumazenil increases acetylcholine release in rat hippocampus (647) 167
Inoue, N., see Goto, S. (647) 333
Itoh, J., see Maurice, T. (647) 44
Izumi, F., see Kobayashi, H. (647) 145

Jacobowitz, D.M., see Ichikawa, H. (647) 124
Jakuš, J., see Miller, A.D. (647) 255
James, T.L., see Espanol, M.T. (647) 172
Jenkins, B.G., see Henshaw, R. (647) 161

Kaisho, Y., Miyamoto, M., Shiho, O., Onoue, H., Kitamura, Y. and Nomura, S.
Expression of neurotrophin genes in the brain of senescence-accelerated mouse (SAM) during postnatal development (647) 139
Kameyama, T., see Maurice, T. (647) 44
Kameyama, T., see Maurice, T. (647) 57
Kashiwayanagi, M., see Taniguchi, M. (647) 10
Katsuki, H., see Filipčik, P. (647) 148
Kimmerer, K., see Gwag, B.J. (647) 23
Kitamura, Y., see Kaisho, Y. (647) 139
Klein, R.L., see Aguayo, L.G. (647) 97
Kobayashi, H., Uezono, Y., Ueno, S. and Izumi, F.
Pituitary adenylate cyclase-activating polypeptides (PACAPs) increase cAMP in rat cerebral microvessels (647) 145
Kolb, B., Muirhead, D. and Cioe, J.
Neonatal frontal cortex grafts fail to attenuate behavioural deficits or abnormal cortical morphogenesis (647) 15
Komisaruk, B.R., see Steinman, J.L. (647) 204
Kowall, N.W., see Henshaw, R. (647) 161
Kupsch, A., see Frodl, E.M. (647) 286
Kurihara, K., see Taniguchi, M. (647) 10

Landwehrmeyer, G.B., see Wüllner, U. (647) 209
Langston, W.J., see Chan, P. (647) 249
Lavi, E., Wang, Q., Stieber, A. and Gonatas, N.K.
Polarity of processes with Golgi apparatus in a subpopulation of type I astrocytes (647) 273
Lazar, E., see DiLoreto Jr., D. (647) 181
Litt, L., see Espanol, M.T. (647) 172

Marín, M.T., see Gonzalvez, M.L. (647) 199
Martinez-Piñero, M.G., see Gonzalvez, M.L. (647) 199
Maurice, T., Hiramatsu, M., Itoh, J., Kameyama, T., Hasegawa, T. and Nabeshima, T.
Behavioral evidence for a modulating role of σ ligands in memory processes. I. Attenuation of dizocilpine (MK-801)-induced amnesia (647) 44
Maurice, T., Hiramatsu, M., Kameyama, T., Hasegawa, T. and Nabeshima, T.
Behavioral evidence for a modulating role of σ ligands in memory processes. II. Reversion of carbon monoxide-induced amnesia (647) 57
McCarron, R.M., Doron, D.A., Sirén, A.-L., Feuerstein, G., Heldman, E., Pollard, H.B., Spatz, M. and Hallenbeck, J.M.
Agonist-stimulated release of von Willebrand factor and procoagulant factor VIII in rats with and without risk factors for stroke (647) 265
Meden, P., Overgaard, K., Pedersen, H. and Boysen, G.
The influence of body temperature on infarct volume and thrombolytic therapy in a rat embolic stroke model (647) 131
Micevych, P.E., see Wagner, C.K. (647) 37
Milanés, M.V., see Gonzalvez, M.L. (647) 199
Miller, A.D., Nonaka, S. and Jakuš, J.
Brain areas essential or non-essential for emesis (647) 255
Mitani, S., see Ichikawa, H. (647) 124
Miyamoto, M., see Kaisho, Y. (647) 139
Morrison, R.S., see O'Malley, E.K. (647) 83
Muirhead, D., see Kolb, B. (647) 15

Nabeshima, T., see Maurice, T. (647) 44
Nabeshima, T., see Maurice, T. (647) 57
Nagahiro, S., see Goto, S. (647) 333
Nakago, T., see Ichikawa, H. (647) 124
Nomura, S., see Kaisho, Y. (647) 139
Nonaka, S., see Miller, A.D. (647) 255

Obinu, M.C., see Imperato, A. (647) 167
Ohnishi, S.T., see Sato, S. (647) 91
Ohnishi, T., see Sato, S. (647) 91
O'Malley, E.K., Sieber, B.-A., Morrison, R.S., Black, I.B. and Dreyfus, C.F.
Nigral Type I astrocytes release a soluble factor that increases dopaminergic neuron survival through mechanisms distinct from basic fibroblast growth factor (647) 83
Onoue, H., see Kaisho, Y. (647) 139
Overgaard, K., see Meden, P. (647) 131

Pancetti, F.C., see Aguayo, L.G. (647) 97
Partridge, L.D.
Cytoplasmic Ca^{2+} activity regulation as measured by a calcium-activated current (647) 76
Pedersen, H., see Meden, P. (647) 131
Penney Jr., J.B., see Wüllner, U. (647) 209
Pickel, V.M., see Van Bockstaele, E.J. (647) 307
Pollard, H.B., see McCarron, R.M. (647) 265
Popper, P., see Wagner, C.K. (647) 37
Prado, W.A., see Guimarães, A.P.C. (647) 220

Rivier, C., see Torres, G. (647) 1
Rose, S.P.R., see Sandi, C. (647) 106
Rosen, B.R., see Henshaw, R. (647) 161
Roth, K.A., see Ardelt, A.A. (647) 340

Saito, H., see Filipčik, P. (647) 148
Sandi, C. and Rose, S.P.R.
Corticosterone enhances long-term retention in one-day-old chicks trained in a weak passive avoidance learning paradigm (647) 106
Sato, S., Tominaga, T., Ohnishi, T. and Ohnishi, S.T.
Electron paramagnetic resonance study on nitric oxide production during brain focal ischemia and reperfusion in the rat (647) 91
Sauer, H., see Frodl, E.M. (647) 286
Schulz, J.B., see Henshaw, R. (647) 161
Schwartz, R.D., Huff, R.A., Yu, X., Carter, M.L. and Bishop, M.
Postischemic diazepam is neuroprotective in the gerbil hippocampus (647) 153
Semba, K., see Honda, T. (647) 299
Sermasi, E. and Coote, J.H.
Oxytocin acts at V_1 receptors to excite sympathetic preganglionic neurones in neonate rat spinal cord in vitro (647) 323
Sessler, F., see Gwag, B.J. (647) 23
Shiho, O., see Kaisho, Y. (647) 139
Sieber, B.-A., see O'Malley, E.K. (647) 83
Sirén, A.-L., see McCarron, R.M. (647) 265
Solodkin, A., see Traub, R.J. (647) 113
Spatz, M., see McCarron, R.M. (647) 265
Springer, J.E., see Gwag, B.J. (647) 23
Standaert, D.G., see Wüllner, U. (647) 209
Steinman, J.L., Hoffman, S.W., Banas, C. and Komisaruk, B.R.
Vaginocervical stimulation attenuates hindpaw shock-induced substance P release into spinal cord superfusates in rats (647) 204
Stieber, A., see Lavi, E. (647) 273
Sugimoto, T., see Ichikawa, H. (647) 124
Suzdak, P.D., Foged, C. and Andersen, K.E.
Quantitative autoradiographic characterization of the binding of [^{3}H]tiagabine (NNC 05–328) to the GABA uptake carrier (647) 231

Taniguchi, M., Kashiwayanagi, M. and Kurihara, K.

Enhancement of the turtle olfactory responses to fatty acids by treatment of olfactory epithelium with phosphatidylserine (647) 10
Testa, C.M., see Wüllner, U. (647) 209
Teyler, T.J., see DiScenna, P.G. (647) 353
Tominaga, T., see Sato, S. (647) 91
Torres, G. and Rivier, C.
Induction of c-*fos* in rat brain by acute cocaine and fenfluramine exposure: a comparison study (647) 1
Traub, R.J., Solodkin, A. and Gebhart, G.F.
NADPH-diaphorase histochemistry provides evidence for a bilateral, somatotopically inappropriate response to unilateral hindpaw inflammation in the rat (647) 113

Ueno, S., see Kobayashi, H. (647) 145
Uezono, Y., see Kobayashi, H. (647) 145
Ulibarri, C., see Wagner, C.K. (647) 37
Ushio, Y., see Goto, S. (647) 333

Van Bockstaele, E.J., Cestari, D.M. and Pickel, V.M.
Synaptic structure and connectivity of serotonin terminals in the ventral tegmental area: potential sites for modulation of mesolimbic dopamine neurons (647) 307
Vargas, M.L., see Gonzalvez, M.L. (647) 199

Wagner, C.K., Popper, P., Ulibarri, C., Clemens, L.G. and Micevych, P.E.
Calcitonin gene-related peptide-like immunoreactivity in spinal motoneurons of the male mouse is affected by castration and genotype (647) 37
Wang, Q., see Lavi, E. (647) 273
Watkins, L., see Brett, B. (647) 65
Weaver, D.F., see Chew, B.H. (647) 345
Weinstein, P.R., see Espanol, M.T. (647) 172
Wüllner, U., Standaert, D.G., Testa, C.M., Landwehrmeyer, G.B., Catania, M.V., Penney Jr., J.B. and Young, A.B.
Glutamate receptor expression in rat striatum: Effect of deafferentation (647) 209

Xu, Y., see Espanol, M.T. (647) 172

Yamaai, T., see Ichikawa, H. (647) 124
Yamada, K., see Goto, S. (647) 333
Young, A.B., see Wüllner, U. (647) 209
Yu, X., see Schwartz, R.D. (647) 153